

Size:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Container Information

Package Level 1 Depth / Length:	172.72 mm	181.102 mm	180.34 mm	182.88 mm	182.88 mm	172.72 mm	180.34 mm	297.18 mm	121.92 mm	121.92 mm	190.5 mm	297.18 mm	172.72 mm	297.18 mm	210.82 mm
	6.8 in	7.13 in	7.1 in	7.2 in	7.2 in	6.8 in	7.1 in	11.7 in	4.8 in	4.8 in	7.5 in	11.7 in	6.8 in	11.7 in	8.3 in

Package Level 1 EAN:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
----------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Package Level 1 Height:	119.126 mm	122.174 mm	122.174 mm	124.46 mm	124.46 mm	119.126 mm	122.174 mm	99.06 mm	88.9 mm	78.74 mm	124.46 mm	99.06 mm	119.126 mm	106.68 mm	160.02 mm
	4.69 in	4.81 in	4.81 in	4.9 in	4.9 in	4.69 in	4.81 in	3.9 in	3.5 in	3.1 in	4.9 in	3.9 in	4.69 in	4.2 in	6.3 in

Package Level 1 Width:	134.62 mm	155.702 mm	155.702 mm	157.48 mm	157.48 mm	134.62 mm	155.702 mm	284.48 mm	134.62 mm	134.62 mm	157.48 mm	289.56 mm	134.62 mm	292.1 mm	182.88 mm
	5.3 in	6.13 in	6.13 in	6.2 in	6.2 in	5.3 in	6.13 in	11.2 in	5.3 in	5.3 in	6.2 in	11.4 in	5.3 in	11.5 in	7.2 in

Package Level 3 Units:	N/A	N/A	6000 EA	4500 EA	N/A	N/A	6000 EA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3000 EA
------------------------	-----	-----	---------	---------	-----	-----	---------	-----	-----	-----	-----	-----	-----	-----	---------

Package Level 3 Width:	N/A	N/A	0 mm	0 mm	N/A	N/A	0 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0 mm
			0 in	0 in			0 in								0 in

Environmental															
RoHS Status:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information																
Application:	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor.	For Aluminum and Copper Conductor only.	For Aluminum and Copper Conductor.

Brand / Label:	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn	Blackburn
Cable Size:	#2 ASCR AWG	2/0 ASCR AWG	4/0 ASCR AWG	3/0 ASCR AWG	1/0 ASCR AWG	1/0 ASCR AWG	1/0 ASCR AWG	556 (26/7) ACSR kcmil	#4 ASCR AWG	#2 ASCR AWG	3/0 ASCR AWG	397 (30/7) ACSR kcmil	#4 ASCR AWG	900 (54/7) ACSR kcmil	266(26/7) ACSR kcmil
	#2 STR AWG	2/0 STR AWG	4/0 STR AWG	3/0 STR AWG	1/0 STR AWG	1/0 STR AWG	1/0 STR AWG	556(26/7) ACSR kcmil	#4 STR AWG	#2 STR AWG	3/0 STR AWG	397(26/7) ACSR kcmil	#4 STR AWG	954(45/7) ACSR kcmil	266(6/7) ACSR kcmil
		3/0 COMPT AWG		4/0 COMPT AWG	2/0 COMPT AWG	2/0 COMPT AWG	2/0 COMPT AWG				4/0 COMPT AWG				

Color:	Peach	N/A	N/A	N/A	N/A	Peach	N/A	N/A	Peach	Peach	N/A	N/A	Peach	N/A	N/A
--------	-------	-----	-----	-----	-----	-------	-----	-----	-------	-------	-----	-----	-------	-----	-----

WEEE Category:	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope
----------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------	---------------------------

Technical

Number of Batteries:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
----------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Part Type:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Material Compliance

Conflict Minerals Reporting Template (CMRT):	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

REACH Declaration:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
--------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

REACH Information:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
--------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Installation

Instructions and Manuals:	AL584	AL7	AL12	AL10	AL5	AL586	AL6	AL32	AL581	AL583	AL9	AL24	AL582	AL60	AL16
---------------------------	-------	-----	------	------	-----	-------	-----	------	-------	-------	-----	------	-------	------	------

Additional Fields

Show more

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Length 6-9/16 inches	Length 8-1/4 inches	Length 8-1/4 inches	Length 5.815 inches, Barrel 2.563 inches, Pad 1.750 inch wide, 4.125 inch from End of Pad to side of Barrel.	Length 7-5/16 inches	8-9/16 inch long x 2-7/16 inch wide	Length 8-9/16 inches	8-9/16 inch long x 2-7/16 inch wide
325.12 mm	215.9 mm	180.34 mm	171.45 mm	172.72 mm	299.72 mm	193.04 mm	120.65 mm	195.58 mm	360.68 mm	205.74 mm	25.4 mm	195.58 mm	334.772 mm	330.2 mm	349.25 mm	
12.8 in	8.5 in	7.1 in	6.75 in	6.8 in	11.8 in	7.6 in	4.75 in	7.7 in	14.2 in	8.1 in	1 in	7.7 in	13.18 in	13 in	13.75 in	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
154.94 mm	182.88 mm	160.02 mm	117.602 mm	119.126 mm	99.06 mm	185.42 mm	88.9 mm	180.34 mm	187.96 mm	185.42 mm	25.4 mm	175.26 mm	177.8 mm	195.58 mm	215.9 mm	
6.1 in	7.2 in	6.3 in	4.63 in	4.69 in	3.9 in	7.3 in	3.5 in	7.1 in	7.4 in	7.3 in	1 in	6.9 in	7 in	7.7 in	8.5 in	
302.26 mm	170.18 mm	129.54 mm	133.35 mm	134.62 mm	284.48 mm	167.64 mm	133.35 mm	167.64 mm	210.82 mm	170.18 mm	25.4 mm	167.64 mm	196.85 mm	220.98 mm	215.9 mm	
11.9 in	6.7 in	5.1 in	5.25 in	5.3 in	11.2 in	6.6 in	5.25 in	6.6 in	8.3 in	6.7 in	1 in	6.6 in	7.75 in	8.7 in	8.5 in	

PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual Rated for use with Aluminum and Copper Conductors. Prefilled with Oxide Inhibitor. Marked with Conductor Sizes and Die Reference. Meet or Exceed ANSI C119.4 Specification s.	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual Rated for use with Aluminum and Copper Conductors. Prefilled with Oxide Inhibitor. Marked with Conductor Sizes and Die Reference. Meet or Exceed ANSI C119.4 Specification s.	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual Rated for use with Aluminum and Copper Conductors. Prefilled with Oxide Inhibitor. Marked with Conductor Sizes and Die Reference. Meet or Exceed ANSI C119.4 Specification s.
---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4
-----	-----	-----	-----	-----	-----	-----	-----	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Tin Plated	Tin Plated	Tin Plated	Tin Plated	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	------------	------------	------------	------------	-----	-----	-----	-----

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	90 °C	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-------	-----	-----	-----	-----

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	350 kcmil	750 kcmil	500 kcmil	500 kcmil	400 kcmil	1000 kcmil	1000 kcmil	1000 kcmil
-----	-----	-----	-----	-----	-----	-----	-----	-----------	-----------	-----------	-----------	-----------	------------	------------	------------

Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
AL44	AL18	AL8	AL4	AL11	AL28	AL20	AL585	AL 350 NTN	AL 750 NTN	AL 500 NTN	AL 500 NRTN	AL 400 N	AL 1000 NGSH	AL 1000 N	AL 1000 NCP

N/A	9-11/16 inch long x 2-21/32 inch wide	Length 8- 9/16 inches	Length 7- 3/4 inches	Length 6- 9/16 inches	Length 8- 1/4 inches	Length 8- 1/4 inches	Length 3- 5/8 inches	Length 2- 5/8 inches	Length 2- 1/4 inches	Length 8- 5/16 inches	Length 8- 9/16 inches	Length 9- 11/16 inches	Length 6- 9/16 inches	Length 4- 1/4 inches	Length 8- 9/16 inches
-----	--	--------------------------	-------------------------	--------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	--------------------------	--------------------------	---------------------------	--------------------------	-------------------------	--------------------------

N/A	196.85 mm	335.28 mm	347.98 mm	196.85 mm	349.25 mm	203.2 mm	334.95 mm	25.4 mm	25.4 mm	339.725 mm	335.28 mm	339.725 mm	152.4 mm	25.4 mm	25.4 mm
	7.75 in	13.2 in	13.7 in	7.75 in	13.75 in	8 in	13.187 in	1 in	1 in	13.375 in	13.2 in	13.375 in	6 in	1 in	1 in

3,4715E+12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

N/A	334.772 mm	198.12 mm	218.44 mm	177.8 mm	215.9 mm	190.5 mm	177.8 mm	25.4 mm	25.4 mm	200.025 mm	185.42 mm	200.025 mm	190.5 mm	25.4 mm	25.4 mm
	13.18 in	7.8 in	8.6 in	7 in	8.5 in	7.5 in	7 in	1 in	1 in	7.875 in	7.3 in	7.875 in	7.5 in	1 in	1 in

N/A	177.8 mm	203.2 mm	218.44 mm	158.75 mm	222.25 mm	171.45 mm	196.85 mm	25.4 mm	25.4 mm	209.55 mm	210.82 mm	209.55 mm	165.1 mm	25.4 mm	25.4 mm
	7 in	8 in	8.6 in	6.25 in	8.75 in	6.75 in	7.75 in	1 in	1 in	8.25 in	8.3 in	8.25 in	6.5 in	1 in	1 in

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

Following EU Directive 2011/65/EU N/A Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 N/A Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 N/A N/A Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

N/A General Purpose Lugs for Aluminum and Copper Terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations General purpose lugs for Aluminum and Copper terminations

N/A Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac Homac

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

N/A	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression	Compression
N/A	20091117	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619	20080619
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	None	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	N/A	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
AL-ES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Busbars and Accessories (IEC Range)	Terminals, electrical splices and electrical couplings	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers	Terminals, electrical splices and electrical couplings; wafer probers	Terminals, electrical splices and electrical couplings; wafer probers	Terminals, electrical splices and electrical couplings; wafer probers	Terminals, electrical splices and electrical couplings; wafer probers	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings; wafer probers /note: See 9903.88.67.
		Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug One Hole	Compression Lug One Hole	Compression Lug One Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug Two Hole	Compression Lug One Hole

N/A	Dual Rated for use with Aluminum and Copper Conductors. Prefilled with Oxide Inhibitor. Marked with Conductor Sizes and Die Reference. Meet or Exceed ANSI C119.4 Specifications.	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification	Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification
-----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--

N/A	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4	ANSI C119.4
-----	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Tin Plated	Tin Plated	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------------	------------	-----	-----	-----

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

N/A	1250 kcmil	1000 kcmil	600 kcmil	350 kcmil	750 kcmil	500 kcmil	250 kcmil 4/0 STR AWG 4/0 ACSR AWG 120 mm²	#2 STR AWG	#4 AWG	800 kcmil	1000 kcmil	1250 kcmil	300 kcmil	350 kcmil	1000 kcmil
-----	------------	------------	-----------	-----------	-----------	-----------	---	---------------	--------	-----------	------------	------------	-----------	-----------	------------

5. Small Equipment (No External Dimension More Than 50 cm)	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope
N/A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9AKK10846 8A3363	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9AKK10846 8A9644	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
False - does not contain substances > 0.1 mass percentage	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
No document needed	AL 1250 NGSH	AL 1000 NMSNP	AL 600 N	AL 350 N	AL 750 N	AL 500 N	AL 250-48	AL 2-38	AL 4-516	AL 800 N	AL 1000 NMS	AL 1250 NTN	AL 300 N	AL 350-48	AL 1000 SSN

AT/E2	AT/A0.4	AT/E1	AT/S2.16	AT/S4.16	AT2596	AT2644	AT-7	AT-9	AT-10	AT2050-1
GJB0006152A0 037	GHQ6050040R 0001	GJB0006151A 0013	GHQ6310003R01 21	GHQ6310003R 0131	7TAA200590R0 226	7TAA200590R02 28	7TAA118490R0 001	7TAA118490R 0003	7TAA118490R0 000	7TAA207890R 0007

AT/E2 Switch/Shutter Actuator, 2f, 10A	AT/A0.4 Binary Output	AT/E1 Switch Actuator, 1fold, 10 A, LF	AT/S2.16 Binary Output, 2f, 16 A, MDRC	AT/S4.16 Binary Output, 4f, 16 A, MDRC	BATTERY ASSEMBLY, CELLEMETRY	OPTO ISLOATOR MODULAR	2 1/2inch RIGID T CONDUIT BODY	3-1/2 INCH RIGID T CONDUIT BODY	4 INCH RIGID T CONDUIT BODY	FAULT INDICATOR
--	--------------------------	--	--	--	------------------------------------	-----------------------------	--------------------------------------	--	-----------------------------------	--------------------

Installation Instructions and Manuals:	9AKK2017- 106882	N/A	9AKK2017- 106879	N/A	N/A	AT2596	AT2644	AT-7	AT-9	AT-10	AT2050-1
---	---------------------	-----	---------------------	-----	-----	--------	--------	------	------	-------	----------

Environmental

RoHS Status:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	N/A	N/A	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE Category:	N/A	N/A	N/A	N/A	N/A	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope

Technical

Accessories Available:	N/A	Yes	Yes	Yes	Yes	N/A	N/A	N/A	N/A	N/A	N/A
---------------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Product Type:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Conduit Body - Series A - Rigid/IMC	Conduit Body - Series A - Rigid/IMC	Conduit Body - Series A - Rigid/IMC	N/A
Size:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Special Functions:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Retained Stainless Steel Cover Screws	Retained Stainless Steel Cover Screws	Retained Stainless Steel Cover Screws	N/A
Standards:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	UL E28688, CSA	UL E28688, CSA	UL E28688, CSA	N/A
Dimensions											
Product Net Depth / Length:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Product Net Weight:	0.236 kg	N/A	0.223 kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Ordering											
Country of Origin:	N/A	N/A	N/A	N/A	N/A	United States (US)	United States (US)	India (IN)	India (IN)	India (IN)	United States (US)
EAN:	4,0114E+12	N/A	4,0114E+12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Minimum Order Quantity:	1 piece	1 piece	1 piece	1 piece	1 piece	N/A	N/A	N/A	N/A	N/A	N/A

Replacement Product ID (NEW):	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Selling Unit of Measure:	piece	N/A	piece	N/A	N/A	each	each	each	each	each	each
UPC:	N/A	N/A	N/A	N/A	N/A	7,83787E+11	7,83787E+11	42269327405	42269327504	42269327559	7,83787E+11
Certificates and Declarations											
Declaration of Conformity - CE:	N/A	9AKK2017-106872	N/A	9AKK2017-106884	9AKK2017-106894	N/A	N/A	N/A	N/A	N/A	N/A
Classifications											
ETIM 6:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ETIM 7:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	EC003618 - Form part for installation tubes	EC003618 - Form part for installation tubes	EC003618 - Form part for installation tubes	N/A
ETIM 8:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	EC003618 - Form part for installation tubes	EC003618 - Form part for installation tubes	EC003618 - Form part for installation tubes	N/A
IDEA Granular Category Code (IGCC):	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5563 >> Electrical conduit fitting body	5563 >> Electrical conduit fitting body	5563 >> Electrical conduit fitting body	N/A
UNSPSC:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	39131708	39131708	39131708	N/A
WEEE B2C / B2B:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Business To Consumer
Container Information											

Package Level 1 Depth / Length:	245 mm	N/A	245 mm	N/A	N/A	0 mm	0 mm	377.952 mm	452.374 mm	452.374 mm	0 mm
---------------------------------	--------	-----	--------	-----	-----	------	------	------------	------------	------------	------

	0 in		0 in			14.88 in	17.81 in	17.81 in	0 in
--	------	--	------	--	--	----------	----------	----------	------

Package Level 1 EAN:	4,0114E+12	N/A	4,0114E+12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
----------------------	------------	-----	------------	-----	-----	-----	-----	-----	-----	-----	-----

Package Level 1 Gross Weight:	0.27 kg	N/A	0.26 kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-------------------------------	---------	-----	---------	-----	-----	-----	-----	-----	-----	-----	-----

Package Level 1 Height:	106 mm	N/A	106 mm	N/A	N/A	0 mm	0 mm	146.05 mm	168.402 mm	168.402 mm	0 mm
-------------------------	--------	-----	--------	-----	-----	------	------	-----------	------------	------------	------

	0 in		0 in			5.75 in	6.63 in	6.63 in	0 in
--	------	--	------	--	--	---------	---------	---------	------

Package Level 1 Units:	1 piece	N/A	box 1 piece	N/A	N/A	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA
------------------------	---------	-----	-------------	-----	-----	------	------	------	------	------	------

Package Level 1 Width:	230 mm	N/A	230 mm	N/A	N/A	0 mm	0 mm	177.8 mm	219.202 mm	219.202 mm	0 mm
------------------------	--------	-----	--------	-----	-----	------	------	----------	------------	------------	------

	0 in		0 in			7 in	8.63 in	8.63 in	0 in
--	------	--	------	--	--	------	---------	---------	------

Package Level 2 Depth / Length:	N/A	N/A	N/A	N/A	N/A	25.4 mm	25.4 mm	0 mm	0 mm	0 mm	25.4 mm
---------------------------------	-----	-----	-----	-----	-----	---------	---------	------	------	------	---------

	1 in		1 in			0 in	0 in	0 in	1 in
--	------	--	------	--	--	------	------	------	------

Package Level 2 Height:	N/A	N/A	N/A	N/A	N/A	25.4 mm	25.4 mm	0 mm	0 mm	0 mm	25.4 mm
						1 in	1 in	0 in	0 in	0 in	1 in

Package Level 2 Units:	N/A	N/A	N/A	N/A	N/A	1 EA	1 EA	119 EA	60 EA	60 EA	1 EA
------------------------	-----	-----	-----	-----	-----	------	------	--------	-------	-------	------

Package Level 2 Width:	N/A	N/A	N/A	N/A	N/A	25.4 mm	25.4 mm	0 mm	0 mm	0 mm	25.4 mm
						1 in	1 in	0 in	0 in	0 in	1 in

Package Level 3 Depth / Length:	N/A	N/A	N/A	N/A	N/A	25.4 mm	25.4 mm	N/A	N/A	N/A	25.4 mm
						1 in	1 in				1 in

Package Level 3 Height:	N/A	N/A	N/A	N/A	N/A	0.254 mm	0.254 mm	N/A	N/A	N/A	0.254 mm
						0.01 in	0.01 in				0.01 in

Package Level 3 Units:	N/A	N/A	N/A	N/A	N/A	1 EA	1 EA	N/A	N/A	N/A	1 EA
------------------------	-----	-----	-----	-----	-----	------	------	-----	-----	-----	------

Package Level 3 Width:	N/A	N/A	N/A	N/A	N/A	0.254 mm	0.254 mm	N/A	N/A	N/A	0.254 mm
						0.01 in	0.01 in				0.01 in

Additional Information

AT2472-3 7TAA200590R021 4	AT2472-1 7TAA200590R 0213	AT929 SENSOR 7TAA200590R0 242	AT/S4.16.1 GHQ6310021R 0111	AT/S4.20.1 GHQ6310068R 0111	AT/S4.16.5 GHQ6310028 R0111	AT/S8.16.5 GHQ6310047R0 111	AT/S6.6.1 GHQ6310023R 0111	AT/S8.10.1 GHQ6310075R 0111	AT/S8.4.1 GHQ6310041R 0111	AT/S2.6.5 GHQ6310042R 0111	AT/S4.6.2 GHQ6310033R 0111
TEMPERATURE SENSOR ASSY	TEMPERATU RE SENSOR ASSEMBLY	FAULT INDICATOR	AT/S4.16.1 Switch Actuator, 4fold, 16A	AT/S4.20.1 Switch Act., 4f, 20A, MDRC	AT/S4.16.5 Switch Act, 4f, 16A, C- load	AT/S8.16.5 Switch Act, 8f, 16A, C-load	AT/S6.6.1 Switch Act., 6f, 10 A, MDRC	AT/S8.10.1 Switch Act., 8f, 10 A, MDRC	AT/S8.4.1 Switch Actuator, 8f, 4 A, MDRC	AT/S2.6.5 Switch Actuator, 2f, 10 A	AT/S4.6.2 Switch Actuator, 4-fold, 10 A, MDRC
AT2472-3	AT2472-1	AT929 SENSOR	GHQ6307020P0 001	GHQ6307071P 0002	GHQ6307031 P0001	GHQ6307050P0 001	GHQ6307026P 0002	GHQ6307075P0 001	GHQ6307041P0 002	GHQ6307042P0 002	GHQ6307036P0 002
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Product Not in WEEE Scope	Product Not in WEEE Scope	Product Not in WEEE Scope	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	Yes	N/A	N/A	Yes	Yes	Yes	Yes	N/A



0 mm	0 mm	0 mm	20 mm	N/A	77 mm	77 mm	90 mm	77 mm	N/A	N/A	77 mm
------	------	------	-------	-----	-------	-------	-------	-------	-----	-----	-------

0 in	0 in	0 in
------	------	------

N/A	N/A	N/A	4,01678E+12	N/A	4,01678E+12	4,01678E+12	4,01678E+12	4,01678E+12	N/A	N/A	4,01678E+12
-----	-----	-----	-------------	-----	-------------	-------------	-------------	-------------	-----	-----	-------------

N/A	N/A	N/A	0.05 kg	N/A	0.36 kg	0.08 kg	0.26 kg	0.54 kg	N/A	N/A	0.13 kg
-----	-----	-----	---------	-----	---------	---------	---------	---------	-----	-----	---------

0 mm	0 mm	0 mm	270 mm	N/A	65 mm	65 mm	10 mm	65 mm	N/A	N/A	65 mm
------	------	------	--------	-----	-------	-------	-------	-------	-----	-----	-------

0 in	0 in	0 in
------	------	------

1 EA	1 EA	1 EA	box 1 piece	N/A	1 piece	1 piece	box 1 piece	box 1 piece	N/A	N/A	box 1 piece
------	------	------	-------------	-----	---------	---------	-------------	-------------	-----	-----	-------------

0 mm	0 mm	0 mm	180 mm	N/A	92 mm	92 mm	65 mm	92 mm	N/A	N/A	92 mm
------	------	------	--------	-----	-------	-------	-------	-------	-----	-----	-------

0 in	0 in	0 in
------	------	------

25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	-----	-----	-----	-----	-----	-----	-----	-----	-----

1 in	1 in	1 in
------	------	------





25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	-----	-----	-----	-----	-----	-----	-----	-----	-----

1 in	1 in	1 in
------	------	------

1 EA	1 EA	1 EA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----

25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	-----	-----	-----	-----	-----	-----	-----	-----	-----

1 in	1 in	1 in
------	------	------

25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	-----	-----	-----	-----	-----	-----	-----	-----	-----

1 in	1 in	1 in
------	------	------

0.254 mm	0.254 mm	0.254 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
----------	----------	----------	-----	-----	-----	-----	-----	-----	-----	-----	-----

0.01 in	0.01 in	0.01 in
---------	---------	---------

1 EA	1 EA	1 EA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----

0.254 mm	0.254 mm	0.254 mm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
----------	----------	----------	-----	-----	-----	-----	-----	-----	-----	-----	-----

0.01 in	0.01 in	0.01 in
---------	---------	---------



0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	25.4 mm	25.4 mm	304.8 mm	25.4 mm	304.8 mm
0 in	0 in	0 in	0 in	0 in	0 in	0 in	1 in	1 in	12 in	1 in	12 in
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	25.4 mm	25.4 mm	76.2 mm	25.4 mm	76.2 mm
0 in	0 in	0 in	0 in	0 in	0 in	0 in	1 in	1 in	3 in	1 in	3 in
1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	3 EA	3 EA	3 EA
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	25.4 mm	25.4 mm	304.8 mm	25.4 mm	304.8 mm
0 in	0 in	0 in	0 in	0 in	0 in	0 in	1 in	1 in	12 in	1 in	12 in
25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A
1 in	1 in	1 in	1 in	1 in	1 in	1 in					

25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	---------	---------	---------	---------	-----	-----	-----	-----	-----

1 in	1 in	1 in	1 in	1 in	1 in	1 in					
------	------	------	------	------	------	------	--	--	--	--	--

1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	N/A	N/A	N/A	N/A	N/A
------	------	------	------	------	------	------	-----	-----	-----	-----	-----

25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	---------	---------	---------	---------	-----	-----	-----	-----	-----

1 in	1 in	1 in	1 in	1 in	1 in	1 in					
------	------	------	------	------	------	------	--	--	--	--	--

25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A	N/A
---------	---------	---------	---------	---------	---------	---------	-----	-----	-----	-----	-----

1 in	1 in	1 in	1 in	1 in	1 in	1 in					
------	------	------	------	------	------	------	--	--	--	--	--

0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	N/A	N/A	N/A	N/A	N/A
----------	----------	----------	----------	----------	----------	----------	-----	-----	-----	-----	-----

0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in					
---------	---------	---------	---------	---------	---------	---------	--	--	--	--	--

1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	N/A	N/A	N/A	N/A	N/A
------	------	------	------	------	------	------	-----	-----	-----	-----	-----

0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	N/A	N/A	N/A	N/A	N/A
----------	----------	----------	----------	----------	----------	----------	-----	-----	-----	-----	-----

0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in					
---------	---------	---------	---------	---------	---------	---------	--	--	--	--	--

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Homac	Homac	Homac
20080222	20080222	20080222	20080222	20080222	20080222	20080222	20080225	20090420	20090918	20080619	20101104	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Other: Other	Other: Other	Other: Other parts of switchgear, switch boards, panel boards and distribution boards	Other: Other /note: See 9903.88.03.	Other: Other parts of switchgear, switch boards, panel boards and distribution boards	Other: Other	Other: Other	Parts of motors	With contacts rated at less than 10 A: Electromechanical	Terminals, electrical splices and electrical couplings	Terminals, electrical splices and electrical couplings; wafer probes /note: See 9903.88.67.	Terminals, electrical splices and electrical couplings	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	336 kcmil	350 kcmil	500 kcmil	

215.9 mm	275.336 mm	215.9 mm	203.2 mm	223.012 mm	236.474 mm	377.952 mm	25.4 mm	1 in	25.4 mm
----------	------------	----------	----------	------------	------------	------------	---------	------	---------

8.5 in	10.84 in	8.5 in	8 in	8.78 in	9.31 in	14.88 in	1 in	25 mm	1 in
--------	----------	--------	------	---------	---------	----------	------	-------	------

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

69.85 mm	95.25 mm	69.85 mm	98.552 mm	55.626 mm	69.85 mm	146.05 mm	25.4 mm	1 in	25.4 mm
----------	----------	----------	-----------	-----------	----------	-----------	---------	------	---------

2.75 in	3.75 in	2.75 in	3.88 in	2.19 in	2.75 in	5.75 in	1 in	25 mm	1 in
---------	---------	---------	---------	---------	---------	---------	------	-------	------

2 EA	1 EA	2 EA	10 EA	10 EA	5 EA	1 EA	1 EA	60 m	1 EA
------	------	------	-------	-------	------	------	------	------	------

180.086 mm	101.6 mm	180.086 mm	177.8 mm	151.638 mm	162.052 mm	177.8 mm	25.4 mm	1 in	25.4 mm
------------	----------	------------	----------	------------	------------	----------	---------	------	---------

7.09 in	4 in	7.09 in	7 in	5.97 in	6.38 in	7 in	1 in	25 mm	1 in
---------	------	---------	------	---------	---------	------	------	-------	------

304.8 mm	502.92 mm	304.8 mm	524.002 mm	381 mm	363.22 mm	0 mm	N/A	N/A	N/A
----------	-----------	----------	------------	--------	-----------	------	-----	-----	-----

12 in	19.8 in	12 in	20.63 in	15 in	14.3 in	0 in			
-------	---------	-------	----------	-------	---------	------	--	--	--

210.82 mm	124.46 mm	215.9 mm	203.2 mm	171.45 mm	302.26 mm	0 mm	N/A	N/A	N/A
8.3 in	4.9 in	8.5 in	8 in	6.75 in	11.9 in	0 in			
10 EA	5 EA	10 EA	50 EA	50 EA	25 EA	119 EA	N/A	N/A	N/A
304.8 mm	289.56 mm	302.26 mm	219.202 mm	241.3 mm	226.06 mm	0 mm	N/A	N/A	N/A
12 in	11.4 in	11.9 in	8.63 in	9.5 in	8.9 in	0 in			
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	N/A	N/A	N/A	N/A
0 in	0 in	0 in	0 in	0 in	0 in				
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	N/A	N/A	N/A	N/A
0 in	0 in	0 in	0 in	0 in	0 in				
480 EA	360 EA	480 EA	2250 EA	2500 EA	1125 EA	N/A	N/A	N/A	N/A
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	N/A	N/A	N/A	N/A
0 in	0 in	0 in	0 in	0 in	0 in				

Suited For
Exposure To
Extreme Climatic
Conditions. It Is
Also Widely Used
On Industrial
Process Equipment
Such As Annealing
Ovens, Lumber
Kilns, Foundries
And Refrigeration

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

N/A N/A N/A N/A N/A N/A N/A N/A N/A Lithium

N/A N/A N/A N/A N/A N/A N/A N/A N/A Portable

N/A N/A N/A N/A N/A N/A N/A N/A N/A .007 kg

N/A N/A N/A N/A N/A Gray N/A N/A N/A N/A

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

AT1170-7 AT2609-2 AT2691 AT2473-1 AT2000-101 AT050-30 AT2468-1 AT2672-3 AT2437-10 AT2186-10

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

N/A N/A N/A N/A N/A Steel N/A N/A N/A N/A

0 0 0 0 0 0 0 0 0 1

N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
each	each	each	each	each	metre	each	each	each	each	each
7,83787E+11	7,83787E+11	7,83787E+11	7,83787E+11	7,83787E+11	7,8621E+11	7,83787E+11	7,83787E+11	7,83787E+11	7,83787E+11	7,83787E+11
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	EC001179 - Protective metallic hose	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	EC001179 - Protective metallic hose	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	EC001179 - Protective metallic hose	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	5535 >> Electrical conduit	6204 >> Temperature sensor	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	39131706	41111970	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Business To Consumer

25.4 mm	0 mm	25.4 mm	0 mm	0 mm	0.025 mm	0 mm	0 mm	0 mm	0 mm
---------	------	---------	------	------	----------	------	------	------	------

1 in	0 in	1 in	0 in	0 in	0.001 in	0 in	0 in	0 in	0 in
------	------	------	------	------	----------	------	------	------	------

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

25.4 mm	0 mm	25.4 mm	0 mm	0 mm	0.025 mm	0 mm	0 mm	0 mm	0 mm
---------	------	---------	------	------	----------	------	------	------	------

1 in	0 in	1 in	0 in	0 in	0.001 in	0 in	0 in	0 in	0 in
------	------	------	------	------	----------	------	------	------	------

1 EA	1 EA	1 EA	1 EA	1 EA	30 m	1 EA	1 EA	1 EA	1 EA
------	------	------	------	------	------	------	------	------	------

25.4 mm	0 mm	25.4 mm	0 mm	0 mm	0.025 mm	0 mm	0 mm	0 mm	0 mm
---------	------	---------	------	------	----------	------	------	------	------

1 in	0 in	1 in	0 in	0 in	0.001 in	0 in	0 in	0 in	0 in
------	------	------	------	------	----------	------	------	------	------

N/A	25.4 mm	N/A	25.4 mm	25.4 mm	N/A	25.4 mm	25.4 mm	25.4 mm	25.4 mm
-----	---------	-----	---------	---------	-----	---------	---------	---------	---------

	1 in		1 in	1 in		1 in	1 in	1 in	1 in
--	------	--	------	------	--	------	------	------	------

N/A	25.4 mm	N/A	25.4 mm	25.4 mm	N/A	25.4 mm	25.4 mm	25.4 mm	25.4 mm
	1 in		1 in	1 in		1 in	1 in	1 in	1 in
N/A	1 EA	N/A	1 EA	1 EA	N/A	1 EA	1 EA	1 EA	1 EA
N/A	25.4 mm	N/A	25.4 mm	25.4 mm	N/A	25.4 mm	25.4 mm	25.4 mm	25.4 mm
	1 in		1 in	1 in		1 in	1 in	1 in	1 in
N/A	25.4 mm	N/A	25.4 mm	25.4 mm	N/A	25.4 mm	25.4 mm	25.4 mm	25.4 mm
	1 in		1 in	1 in		1 in	1 in	1 in	1 in
N/A	0.254 mm	N/A	0.254 mm	0.254 mm	N/A	0.254 mm	0.254 mm	0.254 mm	0.254 mm
	0.01 in		0.01 in	0.01 in		0.01 in	0.01 in	0.01 in	0.01 in
N/A	1 EA	N/A	1 EA	1 EA	N/A	1 EA	1 EA	1 EA	1 EA
N/A	0.254 mm	N/A	0.254 mm	0.254 mm	N/A	0.254 mm	0.254 mm	0.254 mm	0.254 mm
	0.01 in		0.01 in	0.01 in		0.01 in	0.01 in	0.01 in	0.01 in

0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0.025 mm	25.4 mm	25.4 mm	25.4 mm
0 in	0 in	0 in	0 in	0 in	0 in	0 in	0 in	0.001 in	1 in	1 in	1 in
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0.025 mm	25.4 mm	25.4 mm	25.4 mm
0 in	0 in	0 in	0 in	0 in	0 in	0 in	0 in	0.001 in	1 in	1 in	1 in
1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	30 m	1 EA	1 EA	1 EA
0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0 mm	0.025 mm	25.4 mm	25.4 mm	25.4 mm
0 in	0 in	0 in	0 in	0 in	0 in	0 in	0 in	0.001 in	1 in	1 in	1 in
25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A
1 in	1 in	1 in	1 in	1 in	1 in	1 in	1 in				

25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A
---------	---------	---------	---------	---------	---------	---------	---------	-----	-----	-----	-----

1 in	1 in	1 in	1 in	1 in	1 in	1 in	1 in				
------	------	------	------	------	------	------	------	--	--	--	--

1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	N/A	N/A	N/A	N/A
------	------	------	------	------	------	------	------	-----	-----	-----	-----

25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A
---------	---------	---------	---------	---------	---------	---------	---------	-----	-----	-----	-----

1 in	1 in	1 in	1 in	1 in	1 in	1 in	1 in				
------	------	------	------	------	------	------	------	--	--	--	--

25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	25.4 mm	N/A	N/A	N/A	N/A
---------	---------	---------	---------	---------	---------	---------	---------	-----	-----	-----	-----

1 in	1 in	1 in	1 in	1 in	1 in	1 in	1 in				
------	------	------	------	------	------	------	------	--	--	--	--

0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	N/A	N/A	N/A	N/A
----------	----------	----------	----------	----------	----------	----------	----------	-----	-----	-----	-----

0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in				
---------	---------	---------	---------	---------	---------	---------	---------	--	--	--	--

1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	1 EA	N/A	N/A	N/A	N/A
------	------	------	------	------	------	------	------	-----	-----	-----	-----

0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	0.254 mm	N/A	N/A	N/A	N/A
----------	----------	----------	----------	----------	----------	----------	----------	-----	-----	-----	-----

0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in	0.01 in				
---------	---------	---------	---------	---------	---------	---------	---------	--	--	--	--

N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	T&B Liquidtight Fittings	N/A	N/A	N/A
20080222	20080222	20080222	20080222	20080222	20080222	20080222	20080222	19951006	20081003	20140416	20081003
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3/4 in	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Other /note: See 9903.88.01.	Other: Other	Other	Other: Other parts of switchgear, switch boards, panel boards and distribution boards	Other: Other parts of switchgear, switch boards, panel boards and distribution boards	Antennas	Other: Other parts of switchgear, switch boards, panel boards and distribution boards	Antennas	Other /note: See 9903.88.03.	Other: Other parts of switchgear, switch boards, panel boards and distribution boards	Lightning arresters, voltage limiters and surge suppressors /note: See 9903.88.03.	Other: Other parts of switchgear, switch boards, panel boards and distribution boards
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93