

Алматы (7273)495-231
 Ангарск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://abbenclosures.nt-rt.ru/> || aua@nt-rt.ru



1STQ004191B0000

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards
Material Compliance	
REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077

RoHS Status:	No declaration needed
Environmental	
Environmental Information:	1STC803005D0208 9AKK108467A6707
Dimensions	
Product Net Depth / Length:	60 mm
Product Net Height:	105 mm
Product Net Weight:	0.18 kg
Product Net Width:	105 mm
Ordering	
Package Level 1 Gross Weight:	0.2 kg
Package Level 1 Units:	1 piece
Certificates and Declarations	
Declaration of Conformity - CE:	1STC860111
Installation	
Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STC803005D0208
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only**1STQ004192B0000**

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	64 mm
Product Net Height:	150 mm
Product Net Weight:	0.3 kg

Product Net Width:	150 mm
Ordering	
Package Level 1 Gross Weight:	0.32 kg
Package Level 1 Units:	1 piece
Certificates and Declarations	
Declaration of Conformity - CE:	1STC860111
Installation	
Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STM604200R0002
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only



1STQ004193B0000

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	90 mm
Product Net Height:	204 mm
Product Net Weight:	0.522 kg
Product Net Width:	204 mm

Ordering

Package Level 1 Gross Weight:	0.542 kg
Package Level 1 Units:	1 piece

Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STM604200R0000
----------------------------------	-----------------

Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STM604200R0002
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only	1STQ004194B0000
	Main Distribution Board

Technical	
Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance	
REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental	
Environmental Information:	1STM604200R0002

9AKK108467A6707

Dimensions

Product Net Depth / Length:	113 mm
Product Net Height:	250 mm
Product Net Weight:	0.7 kg
Product Net Width:	250 mm

Ordering

Package Level 1 Gross Weight:	0.72 kg
Package Level 1 Units:	1 piece

Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902

Popular Downloads

Data Sheet, Technical Information:	1STM604200R0002
---	-----------------

Classifications

CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only**1STQ004195B0000**

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	152 mm
Product Net Height:	325 mm
Product Net Weight:	1 kg

Product Net Width:	325 mm
Ordering	
Package Level 1 Gross Weight:	1.02 kg
Package Level 1 Units:	1 piece
Certificates and Declarations	
Declaration of Conformity - CE:	1STC860111
Installation	
Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STM604200R0002
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only



1STQ004232B0000

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	60 mm
Product Net Height:	105 mm
Product Net Weight:	0.18 kg
Product Net Width:	105 mm

Ordering

Package Level 1 Gross Weight:	0.2 kg
Package Level 1 Units:	1 piece

Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STM604200R0000
----------------------------------	-----------------

Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STM604200R0002
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only	 <p style="text-align: center;">1STQ004233B0000</p> <p style="text-align: center;">Main Distribution Board</p>
------------------------------	--

Technical	
Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	64 mm
Product Net Height:	150 mm
Product Net Weight:	0.3 kg
Product Net Width:	150 mm

Ordering

Package Level 1 Gross Weight:	0.32 kg
Package Level 1 Units:	1 piece

Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902

Popular Downloads

Data Sheet, Technical Information:	1STM604200R0002
---	-----------------

Classifications

CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)

WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Show Differences Only



1STQ004234B0000

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	90 mm
Product Net Height:	204 mm
Product Net Weight:	0.522 kg
Product Net Width:	204 mm

Ordering

Package Level 1 Gross Weight:	0.542 kg
Package Level 1 Units:	1 piece

Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902

Popular Downloads

Data Sheet, Technical Information:	1STM604200R0002
---	-----------------

Classifications

CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)



1STQ004235B0000

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	113 mm
Product Net Height:	250 mm
Product Net Weight:	0.7 kg

Product Net Width:	250 mm
Ordering	
Package Level 1 Gross Weight:	0.572 kg
Package Level 1 Units:	1 piece
Certificates and Declarations	
Declaration of Conformity - CE:	1STC860111
Installation	
Instructions and Manuals:	1STM604200R0000
Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STM604200R0002
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)



1STQ004236B0000

Main Distribution Board

Technical

Material:	ABS/PC Alloy
Product Type:	5P5P80P8090
RAL Number:	RAL 7035 - Light Grey
Remarks:	ETIM
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STM604200R0002 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	152 mm
Product Net Height:	325 mm
Product Net Weight:	1 kg
Product Net Width:	325 mm

Ordering

Package Level 1 Gross Weight:	1.02 kg
Package Level 1 Units:	1 piece






Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STM604200R0000
----------------------------------	-----------------


Instructions and Manuals (Part 2):	1SDC007110G0902
Popular Downloads	
Data Sheet, Technical Information:	1STM604200R0002
Classifications	
CN8:	84213925
eClass:	V11.1 : 27180706
ETIM 8:	EC002513 - Filter (enclosure/cabinet climate control)
ETIM 9:	EC002513 - Filter (enclosure/cabinet climate control)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

	 <p>PBBT0008 1STQ007432A0000</p>	 <p>PBBT0200N 1STQ007034B0000</p>	 <p>PBBT0250N 1STQ006921B0000</p>	 <p>PBBT0345N 1STQ006923B0000</p>	 <p>PBBT0300N 1STQ006922B0000</p>
	PBBT0008 Main Distribution Board	PBBT0200N Main Distribution Board	PBBT0250N Main Distribution Board	PBBT0345N Main Distribution Board	PBBT0300N Main Distribution Board

Technical					
Product Type:	SUJ0713XXX010	5S5S10S1090	5S5S10S1090	5S5S10S1090	5S5S10S1090
Remarks:	ETIM	N/A	N/A	N/A	N/A
Suitable For:	Modular boards - System pro E Power	Modular boards - System pro E Power	Modular boards - System pro E Power	Modular boards - System pro E Power	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards	Main Distribution Board	Main Distribution Board	Main Distribution Board	Main Distribution Board

Material Compliance					
REACH Declaration:	1STE000078	1STE000078	1STE000078	1STE000078	1STE000078
RoHS Date:	20140108	N/A	N/A	N/A	N/A
RoHS Information:	1STE000077	1STE000077	1STE000077	1STE000077	1STE000077
RoHS Status:	No declaration needed	No declaration needed	No declaration needed	No declaration needed	No declaration needed
Environmental					
Environmental Information:	1STC803005D0208 9AKK108467A6707	1STC803005D0208 9AKK108467A6707	1STC803005D0208 9AKK108467A6707	1STC803005D0208 9AKK108467A6707	1STC803005D0208 9AKK108467A6707
Dimensions					
Product Net Depth / Length:	40 mm	65 mm	65 mm	65 mm	65 mm
Product Net Height:	170 mm	160 mm	160 mm	160 mm	160 mm
Product Net Weight:	1 kg	3.42 kg	1.68 kg	2.55 kg	2.11 kg
Product Net Width:	140 mm	390 mm	190 mm	290 mm	240 mm
Ordering					
Package Level 1 Gross Weight:	1 kg	3.42 kg	1.68 kg	2.55 kg	2.11 kg
Package Level 1 Units:	1 piece	packet 1 piece	packet 1 piece	packet 1 piece	packet 1 piece
Certificates and Declarations					
Declaration of Conformity - CE:	1STC860111	No declaration needed	No declaration needed	No declaration needed	No declaration needed
Installation					
Instructions and Manuals:	1STS100399R0001 1STS100402R0001	1STS100368R0001	1STS100368R0001	1STS100368R0001	1STS100368R0001
Instructions and Manuals (Part 2):	1SDC007110G0902	N/A	N/A	N/A	N/A
Popular Downloads					
Data Sheet, Technical Information:	1STC803005D0208	1STC803005D0208	1STC803005D0208	1STC803005D0208	1STC803005D0208

Classifications					
CN8:	85381000	85381000	85381000	85381000	85381000
eClass:	V11.1 : 27141192	V11.1 : 27182811	V11.1 : 27182811	V11.1 : 27182811	V11.1 : 27182811
ETIM 8:	EC002270 - Accessories/spare parts for busbars	EC002620 - Components for installation (enclosure/cabinet)	EC002620 - Components for installation (enclosure/cabinet)	EC002620 - Components for installation (enclosure/cabinet)	EC002620 - Components for installation (enclosure/cabinet)
ETIM 9:	EC002270 - Accessories/spare parts for busbars	EC002620 - Components for installation (enclosure/cabinet)	EC002620 - Components for installation (enclosure/cabinet)	EC002620 - Components for installation (enclosure/cabinet)	EC002620 - Components for installation (enclosure/cabinet)
WEEE B2C / B2B:	Business To Business	Business To Business	Business To Business	Business To Business	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)	5. Small Equipment (No External Dimension More Than 50 cm)	5. Small Equipment (No External Dimension More Than 50 cm)	5. Small Equipment (No External Dimension More Than 50 cm)	5. Small Equipment (No External Dimension More Than 50 cm)

	 <p>PBBU0008 1STQ001588B0000</p>
	PBBU0008 Main Distribution Board

Technical	
Material:	Pickled steel sheet
Product Type:	5S5S10S1090
Remarks:	ETIM
Sub-Function 3:	Mounting kit
Suitable For:	Modular boards - System pro E Power
Suitable for Product Class:	Main Distribution Boards

Material Compliance

REACH Declaration:	1STE000078
RoHS Date:	20140108
RoHS Information:	1STE000077
RoHS Status:	No declaration needed

Environmental

Environmental Information:	1STC803005D0208 9AKK108467A6707
-----------------------------------	------------------------------------

Dimensions

Product Net Depth / Length:	62 mm
Product Net Height:	59 mm
Product Net Weight:	0.8 kg
Product Net Width:	290 mm

Ordering

Package Level 1 Gross Weight:	0.8 kg
Package Level 1 Units:	1 piece

Certificates and Declarations

Declaration of Conformity - CE:	1STC860111
--	------------

Installation

Instructions and Manuals:	1STS100397R0001 1STS100399R0001 1STS100402R0001
Instructions and Manuals (Part 2):	1SDC007110G0902

Popular Downloads

Data Sheet, Technical Information:	1STC803005D0208
---	-----------------

Classifications

CN8:	85381000
eClass:	V11.1 : 27182811
ETIM 8:	EC002620 - Components for installation (enclosure/cabinet)

ETIM 9:	EC002620 - Components for installation (enclosure/cabinet)
WEEE B2C / B2B:	Business To Business
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://abbenclosures.nt-rt.ru/> || aua@nt-rt.ru